

# Orgabion

Vitamin (B<sub>1</sub> + B<sub>6</sub> + B<sub>12</sub>)

## COMPOSITION:

**Orgabion Tablet:** Each film coated tablet contains Thiamine Mononitrate BP (vitamin B<sub>1</sub>) 100 mg, Pyridoxine Hydrochloride BP (vitamin B<sub>6</sub>) 200 mg and Cyanocobalamin BP (vitamin B<sub>12</sub>) 200 mcg.

## PHARMACOLOGY:

B vitamins like B<sub>1</sub>, B<sub>6</sub> & B<sub>12</sub> are indispensable for a normal course of the nervous metabolism in the human body. The deficiency of these three vitamins leads to a syndrome of various chronic painful conditions. Combination of Vitamin B<sub>1</sub>, B<sub>6</sub> & B<sub>12</sub> increases the availability and/or effectiveness of inhibitory neurotransmitters such as norepinephrine, which ensures antinociceptive activity. As a result patients feel no pain.

## INDICATIONS:

**Orgabion Tablet** is indicated for the treatment of B<sub>1</sub>, B<sub>6</sub> & B<sub>12</sub> deficiency syndrome. It is also indicated in the treatment of:

- Diabetic neuropathy
- Peripheral neuralgia
- Intercostals neuralgia
- Facial neuralgia
- Spinal pain
- Lumbago
- Myalgia
- Sciatica

## DOSAGE AND ADMINISTRATIONS:

**Route of administration:** **Orgabion Tablet** should be administered orally according to dosage guidelines.

Recommended daily dose is 1 to 3 tablets or as directed by the physician.

## CONTRAINDICATIONS :

**Orgabion Tablet** should not be used in the patients on levodopa therapy and hypersensitivity to any of the active ingredients.

## WARNINGS & PRECAUTIONS:

Cyanocobalamin should not be given before a diagnosis has been fully established because of the possibility of masking symptoms of sub-acute degeneration of the spinal cord. Cyanocobalamin is not a suitable form of Vitamin B<sub>12</sub> for the treatment of optic neuropathies associated with raised plasma concentrations of cyanocobalamin.

## SIDE-EFFECTS:

**Orgabion Tablet** generally well tolerated.

*Common side effects:* Headache, weakness etc.

*Rare side effects:* Allergic reactions may be seen.

## USE IN PREGNANCY & LACTATION:

**Orgabion Tablet** is recommended in pregnancy and during lactation.

## DRUG INTERACTIONS:

No such drug interactions have been reported.

## OVERDOSES:

If there is known overdose then treatment is symptomatic and supportive.

## STORAGE:

Store below 30°C temperature in a dry place. Keep away from light. Keep out of the reach of children.

## PACKING:

**Orgabion Tablet:** Each box containing 50 tablets in blister strip.

Manufactured by:

**Novatek Pharmaceuticals Ltd.**

Gilarchala, 7 Kewa Mouza, Sreepur, Gazipur, Bangladesh.

**NOVATEK**